
MP5
MID-LIFE
UPGRADE
- by Spuhr
PROPERTY OF RAD DEFENCE

The forend is of lower weight and smaller dimensions than the original plastic one and is filled with Spuhr Interfaces 3, 6 and 9 o'clock so any desired picatinny rail or other accessories can be added easily.

The forend weighs 92 gram / 3,25 oz.

PROPERTY OF TSA DEFENCE

The HK roller delayed series of firearms all suffers from far too long stocks. This is especially apparent when it comes to short users and the use of body armor. To make the situation better we have made a stock adaptor for those guns to accept M4 type stocks.

The stock adapter will make the stocks adjustable in length from 50 mm (2”) shorter to about 40 mm (1,5”) longer and also rise the cheek piece and butt plate around 20 mm. That way the LOP (Length of Pull) can be adjusted to the current clothing or the current user of the gun.

It will make the gun more controllable as the stock is more optimized after the user and also because of the lifted buttplate.

The stock adapter also have QD sling interfaces included so either a single point or a dual point sling conveniently can be used.

The stock adapter is optimized for medium height optical sights and the use of the original open sights is impossible.

PROPERTY OF TSA DEFENCE

Finally the last part of our upgrade kit - a new Toprail with the Spuhr interface – gives the user the option to mount various accessories.

For mounting a Reddot sight on the toprail we offer our SR-3000 single ring, 30 mm tube diameter.

This is a very sturdy solution that gives the user a flexible platform depending on nature of mission.

PROPERTY OF TSA DEFENCE

PART LIST

Part number:	Description:	Weight (g/oz):	Price in SEK:
R-300	Stock adapter	110 g / 3,88 oz	1.495
R-301	Forend MP5, with 1 pcs of pcatinny rail.	92 g / 3,25 oz	1.725
R-302	Top rail MP5	130 g / 4,58 oz	1.295
SR-3000(S)	Single ring 30 mm tube.	86 g / 3,03 oz	995
A-0002	Picatinny rail 55x8 mm	19 g / 0,67 oz	400
A-0035	Picatinny rail 95x8 mm	32 g / 1,13 oz	400

If you need a quotation, please don´t hesitate to contact us.

SPUHR

THE HOME OF INNOVATION

Phone: +46 702 603 344 · Fax: +46 46 200 575 · www.spuhr.com

For more information please contact Ulf Nilsson, ulf@spuhr.com