

Page 1 of 5

BC-036 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018 1. PRODUCT & COMPANY IDENTIFICATION 1 1 Product Name STOCK REJUVENATOR[™] CLEANER & PROTECTANT 1.2 Chemical Name Mixture 23422 1.3 Synonyms Trade Names: Stock Rejuvenator™ Cleaner & Protectant 1.4 Product Use: 1.5 Cleaner & Protectant Distributor's Name: 1.6 Birchwood Casey, LLC Distributor's Address: 3260 Winpark Drive, New Hope, MN., 55427 USA 1.7 1.8 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152 +1 (952) 388-6717 1.9 Business Phone / Fax: 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Classification: Acute Tox. Oral 4; Skin Irrit. 2; Eye Irrit 2 Label Elements: Hazard Statements (H): H302 -Harmful if swallowed. H315 - Causes skin irritation. H319 -2.2 Causes serious eye irritation. Precautionary Statements (P): P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/eye protection. P301+P312 -IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 - Rinse mouth. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P321 - Specific treatment see section 4 of this SDS. P332+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and was it before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persist: Get medical advice/attention. P501 - Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF). Other Warnings: KEEP OUT OF REACH OF CHILDREN. In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm maa ppm FS. FS-FS-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. STEL TWA STEL PEAK PEL STEL IDLH OTHER NA NA NA 5-100 NA NA NF NF NF NA NA NA PROPRIETARY INGREDIENTS 9016-45-9 NA 500-024-6 NA NA NF NA NONYLPHENOL Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Aquatic Acute 2; H302, H315, H319, H411 NA 614-604-2 1-5 NA NF NF NA NA NA AMODIMETHICONE Skin Irrit. 2; Eye Irrit. 2; H315, H319 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison 4.1 First Aid: Ingestion: Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing

until after it has been properly cleaned.

Irritation upon direct contact.

cause lung damage.

respiration. Seek immediate medical attention.

Irritation of respiratory tract and mucous membranes.

possible sensitization in some individuals.

Inhalation:

Ingestion:

Inhalation:

Eyes:

Skin:

4.2

Effects of Exposure:

Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial

Mildly irritating. Prolonged or repeated skin contact can result in drying and defatting of the skin, and

Irritation to the gastrointestinal tract. This material can enter the lungs during swallowing or vomiting and



Page 2 of 5 **BC-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018

4.0				RES – cont'o						
4.3	Symptoms of Overexposure:	Eyes: Redness, burning, irritation, stinging and swelling around eyes. Skin: Redness, burning, itching, rash, drying and defatting of the skin. Ingestion: Nausea, vomiting, severe abdominal pain. Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.								
4.4	Acute Health Effects:	Irritation or possible burns upon direct skin contact. Possible irreversible damage to eyes. Irritation and possible sensitization with certain individuals.								
4.5	Chronic Health Effects:	Irritation and possible skin sensi dermatitis.		ain individuals. Pr	olonged or	repeat	ed skin	exposi	ire may	cause
4.6	Target Organs:	Eyes, Skin, Lungs (severe irritant)								
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target HEALTH							1	
	7 1	organs (eyes, skin, and respiratory system).		FLAM	MABIL	.ITY			0	
					PHYS	ICAL F	IAZARI	DS		0
					PROT	ECTIV	E EQUI	PMEN	IT	В
					EYES	S	KIN			
		5. FIRE	FIGHTING N	IEASURES						
5.1	Fire & Explosion Hazards:	Non-flammable. Use media as app	propriate for surrou	unding fire.						
5.2	Extinguishing Methods:	Carbon Dioxide, Foam, Water Spr								
5.3	Firefighting Procedures:	As with any fire, firefighters shoul approved or equivalent self-contain decomposition products may be remitrogen, hydrocarbons and/or defrom fire control or dilution from waterway.	ined breathing app eleased. Thermal or rivatives. Fire shou	paratus (SCBA) and degradation may pruld be fought from a	protective oduce oxide a safe dista	clothing es of ca nce. Pr	. Hazard rbon, an event ru	lous d/or noff	100	0
		6. ACCIDENT	TAL RELEA	SE MEASUR	RES					
		apron, boots, etc.) to prevent skin					оп.о. р.	otective		(e.g.,
		Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear as Recover as much free liquid as published directly into a second secon	otective equipmen or sand to soak up materials (e.g., org zard area and keep opropriate protecti ossible and collec	at including gloves a the product and plaganics such as oil) o unauthorized pers ve equipment inclutin acid-resistant c	and protecti ace into a can away from a connel out out ding respira	ontaine spill. S f area. atory pr	wear. Use r for lated tay upwing Stop sping otection	se a no r dispos nd and Il or relo as con	on-combusal. away from ease if it of ditions wa	stible, m spil can be arrant
		Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear as Recover as much free liquid as p discharging liquid directly into a second	otective equipmen or sand to soak up materials (e.g., orgon zard area and keep opropriate protecting ossible and collect ewer or surface was	at including gloves a the product and plaganics such as oil) o unauthorized pers ve equipment inclutin acid-resistant caters.	and protecti ace into a ca away from a onnel out o ding respira ontainer. Us	ontaine spill. S f area. atory pr	wear. Use r for lated tay upwing Stop sping otection	se a no r dispos nd and Il or relo as con	on-combusal. away from ease if it of ditions wa	stible, m spil can be arrant
7.1	Work & Hygiene Practices:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear at Recover as much free liquid as p	otective equipmen or sand to soak up materials (e.g., organd area and keep oppopriate protectionssible and collective ewer or surface was a STORAG roid eye and skin ceat, drink or smooth strands or sand to	at including gloves at the product and plate ganics such as oil) to unauthorized personal ve equipment incluit in acid-resistant caters. EINFORMA contact. Wear proteoke when handling	and protecti ace into a co away from a onnel out o ding respira ontainer. Us	ontaine spill. S f area. atory prose abso	wear. User for later tay upwing Stop spirotection or bent to	se a nor dispose and and all or release con pick up	on-combusal. away from the asset if it conditions was residue.	stible, m spil can be arrant Avoic
7.1	Work & Hygiene Practices: Storage & Handling:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear as Recover as much free liquid as prodischarging liquid directly into a second breathing mists or spray. As of the reach of children. Do not Immediately clean-up and decontained use and store in a cool, dry, we sunlight. Keep away from incomp	otective equipmen or sand to soak up materials (e.g., organd area and keep opropriate protectionssible and collections was a strong and skin of eat, drink or small artible substances	it including gloves as the product and plaganics such as oil) to unauthorized persive equipment incluit in acid-resistant caters. EINFORMA contact. Wear prote oke when handling or residues. on (e.g., local exhause) the product of	and protecti ace into a co away from a connel out o ding respira ontainer. Us TION ctive equipr this produ	ontaine spill. S f area. atory prose abso ment what. Wa	wear. User for later tay upwing Stop spiotection or bent to see hand ash thores.	se a nor disposed and and all or release con pick up	on-combusal. away from the ease if it of ditions was presidue. Oduct. Kee after har the eat and	stible, m spil can be arrant Avoid
		Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear as Recover as much free liquid as prodischarging liquid directly into a second breathing mists or spray. As of the reach of children. Do not Immediately clean-up and decontain Use and store in a cool, dry, we	otective equipmen or sand to soak up materials (e.g., organd area and keep opropriate protectionssible and collections was a strong and skin of eat, drink or small artible substances	it including gloves as the product and plaganics such as oil) to unauthorized persive equipment incluit in acid-resistant caters. EINFORMA contact. Wear prote oke when handling or residues. on (e.g., local exhause) the product of	and protecti ace into a co away from a connel out o ding respira ontainer. Us TION ctive equipr this produ	ontaine spill. S f area. atory prose abso ment what. Wa	wear. User for later tay upwing Stop spiotection or bent to see hand ash thores.	se a nor disposed and and all or release con pick up	on-combusal. away from the ease if it of ditions was presidue. Oduct. Kee after har the eat and	stible, m spil can be arrant. Avoid
7.2	Storage & Handling:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear as Recover as much free liquid as prodischarging liquid directly into a second breathing mists or spray. As of the reach of children. Do not Immediately clean-up and decontained use and store in a cool, dry, we sunlight. Keep away from incomp	otective equipmen or sand to soak up materials (e.g., organd area and keep oppropriate protectionssible and collections was a strong and skin of eat, drink or small-ventilated location at tible substances ardous product residents and to soak up a substances ardous product residents and to soak up a substance are substances are substances are soak up a substance are substance	it including gloves as the product and plaganics such as oil) to unauthorized persive equipment incluit in acid-resistant caters. EINFORMA EINFORMA Contact. Wear protective when handling or residues. In (e.g., local exhauses Section 10). Pladues.	and protecti ace into a c away from a onnel out o ding respira ontainer. Us TION ctive equipr this produ	ontaine spill. S f area. atory prose abso ment what. Wa tion, far	wear. User for later tay upwing Stop spiotection or bent to see hand ash thores.	se a nor disposed and and all or release con pick up	on-combusal. away from the ease if it of ditions was presidue. Oduct. Kee after har the eat and	stible, m spil can be arrant. Avoid
7.2	Storage & Handling: Special Precautions:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear as Recover as much free liquid as prodischarging liquid directly into a second breathing mists or spray. As of the reach of children. Do not Immediately clean-up and decontained use and store in a cool, dry, we sunlight. Keep away from incomp	otective equipment or sand to soak up materials (e.g., organd area and keep oppopriate protections of the color of the col	it including gloves as the product and plaganics such as oil) to unauthorized personal ve equipment inclust in acid-resistant caters. EINFORMA Contact. Wear protectoke when handling or residues. In (e.g., local exhause see Section 10). Produes. ERSONAL PF	and protecti ace into a c away from a onnel out o ding respira ontainer. Us TION ctive equipr this produ	ontaine spill. S f area. atory prose abso ment what. Wa tion, far	wear. User for later tay upwing Stop spinotection or bent to men hand ash thorough the spinotection is a second to be spinotection or bent to men hand ash thorough the spinotection of th	se a nor disposed and and all or release con pick up	on-combusal. away from the ase if it of ditions was residue. oduct. Kee after harmage.	stible, m spil can be arrant Avoid
7.2	Storage & Handling:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear appropriate as much free liquid as provided discharging liquid directly into a second of the reach of children. Do not Immediately clean-up and decontain Use and store in a cool, dry, we sunlight. Keep away from incomposition Empty containers may retain haza	otective equipmen or sand to soak up materials (e.g., organd area and keep propriate protectivessible and collectives of surface was stored and skin or eat, drink or small-ventilated locatic atible substances urdous product resisted. ROLS & PE ACGIH TLV STEL	it including gloves at the product and play ganics such as oil) to unauthorized personal ve equipment inclust in acid-resistant caters. EINFORMA contact. Wear proteoke when handling or residues. On (e.g., local exhaus (see Section 10). Produes. ERSONAL PROMANES ES-TWA STEL	and protecti ace into a c away from a onnel out o ding respira ontainer. Us TION ctive equipr this produ ust ventilat rotect conta	ontaine spill. S f area. atory prose absorment where the winners from the process of the process	wear. User for later tay upwing Stop spiotection or bent to the spin spin spin spin spin spin spin spin	se a nor r disposed and and all or reliase con pick up	on-combusal. away from the ease if it of ditions was presidue. Oduct. Kee after har the eat and	stible, m spil can be arrant Avoid
7.2	Storage & Handling: Special Precautions: Exposure Limits:	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haz done with minimal risk. Wear application of the reaction of the reach of children. Do not Immediately clean-up and decontation of the reach of children. Do not Immediately clean-up and decontation of the reach of children. We sunlight. Keep away from incomping the properties of the reach of children. Bo not Immediately clean-up and decontations and store in a cool, dry, we sunlight. Keep away from incomping the properties of the reach	otective equipmen or sand to soak up materials (e.g., organd area and keep opropriate protectionssible and collections was stored and skin of eat, drink or smarrinate any spills of all-ventilated locations product residents and skin of substances and product residents and skin of substances and skin of eat, drink or smarrinate any spills of article substances and substances and substances and substances are substances and substances are substances and substances are	it including gloves at the product and plate ganics such as oil) to unauthorized personal ve equipment inclust in acid-resistant caters. EINFORMA Contact. Wear protectoke when handling or residues. On (e.g., local exhaus (see Section 10). Produes. ERSONAL PROMUSE ESTUMA STEL NF NF de adequate ventila	and protection ace into a content of a conte	ontaine spill. S f area. atory prose abso ment wrict. Wa tion, far ainers fro PEL NA ocal ext	wear. User for later tay upwing Stop spin otection or bent to seen hand ash thorough the seen hand as t	se a nor r disposed and and all or reliased as conpick up	on-combusal. away from the ase if it of ditions was residue. oduct. Kee after harmage.	m spillan be spillan b
7.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering	Small Spills: Wear appropriate proinert material such as vermiculite of Large Spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear application of the reach of children. Wear application of the reach of children. Do not Immediately clean-up and decontain Use and store in a cool, dry, we sunlight. Keep away from incomp Empty containers may retain haza and the supplication of the reach of children. Some sunlight is a cool, dry, we sunlight. Keep away from incomp Empty containers may retain haza and the supplication of the supp	otective equipmen or sand to soak up materials (e.g., organd area and keep propriate protectivessible and collectewer or surface was surface surfa	it including gloves at the product and plaganics such as oil) to unauthorized persive equipment incluit in acid-resistant caters. EINFORMA EINFORMA Contact. Wear protectoke when handling or residues. In (e.g., local exhaus (see Section 10). Plages ERSONAL PR NOHSC ES-TWA STEL NF NF de adequate ventilable in case of expose are generated, and 4, applicable U.S. S of Canadian Products	and protection ace into a common account of the control of the con	ment whict. Wation, far fainers from PEL NA ocal exhibit.	wear. User for later tay upwing Stop spin otection or bent to seen hand ash thorough the seen hand the seen	se a nor disposed and and all or release con pick up ling prooughly from hical dar IDLH NA ntilation eeded, nadian	on-combusal. away from the ase if it of ditions was residue. oduct. Kee after harmage.	stible, m spil an be arrant Avoic
7.2 7.3 8.1	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	Small Spills: Wear appropriate presented in the spills: Wear appropriate presented in the spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear appropriate presented in the spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear appropriate presented in the spills: Wear appropriate presented in	otective equipmen or sand to soak up materials (e.g., organd area and keep propriate protectives ible and collect ewer or surface water or surface substances indous product residence in the substances in the substance in the su	the product and play ganics such as oil) to unauthorized personal play of the product and play ganics such as oil) to unauthorized personal play of the product in acid-resistant contact. Wear proteon tact. Wear proteon (e.g., local exhaus (see Section 10). Play of the product	TION Ctive equipr this productive container. ES- PEAK NF Ition (e.g., legure to eyes) tridge) this productive regulated by inces, EC tridge) tridge) tridge) tridge)	rict. A p	vear. User for later tay upwing Stop spin otection of the company	se a nor r disposed and and and as con pick up ling prooughly r from hical dar ntilation seeded, hadian es, or	on-combusal. away from the ase if it of ditions was residue. oduct. Kee after harmage.	stible, m spil an be arrant. Avoic
7.2 7.3 8.1 8.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	Small Spills: Wear appropriate presented in the spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear appropriate presented in the spills: Keep incompatible or release. Isolate immediate haze done with minimal risk. Wear appropriate presented in the spills of the reach of the reach of children. Do not immediately clean-up and decontated use and store in a cool, dry, we sunlight. Keep away from incomping the sunlight in the sunlight of the reach of the reach of children. Do not immediately clean-up and decontated use and store in a cool, dry, we sunlight. Keep away from incomping the sunlight in the sunlight of the sunlight of the sunlight in the sunlight of the sunlight of the sunlight in the sunlight of	otective equipmen or sand to soak up materials (e.g., organd area and keep propriate protectives in the proposition of the protection of t	it including gloves at the product and play ganics such as oil) to unauthorized persive equipment inclust in acid-resistant caters. EINFORMA contact. Wear proteon (e.g., local exhaus (see Section 10). Play gor residues. INF NF N	TION ctive equipr this produ ust ventilat rotect conta ROTECT ES- PEAK NF ution (e.g., k sure to eyes respiratory tate regulat byinces, EC tridge) g this produ e, nitrile) wh	ment what ion, far in	wear. User for later tay upwing Stop spin otection of the hand ash thore the spin of the later the spin of the spi	se a nor r disposed and and and as con pick up disposed and all or release con pick up disposed as con pick up disposed as con pick up disposed and	on-combusal. away from the ase if it of ditions was residue. oduct. Kee after harmage.	stible, m spil an be arrant Avoic



14.6

14.7

SCT (MEXICO)

ADGR (AUS):

NOT REGULATED

NOT REGULATED

SAFETY DATA SHEET

Page 3 of 5 BC-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/25/2018 SDS Revision: 1.0 9. PHYSICAL & CHEMICAL PROPERTIES Milky white liquid 9 1 Appearance: 9.2 Odor Slight floral odor 9.3 Odor Threshold: NA 4.5 - 5.5 94 :Ha 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA 9.7 Flashpoint: NA Upper/Lower Flammability 9.8 NA Limits: Vapor Pressure: NA 9.9 9.10 Vapor Density: NA 9.11 Relative Density: 1.00 Solubility: 9.12 NA 9.13 Partition Coefficient (log Pow): NA 9 14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NΑ NA 9.16 Viscosity: NA 9.17 Other Information: 10. STABILITY & REACTIVITY Stable under normal storage and use conditions. 10.1 Stability: 10.2 Hazardous Decomposition Thermal decomposition may produce carbon, potassium, sulfur and nitrogen oxides. Products: 10.3 Hazardous Polymerization: Will not occur. Avoid high temperatures and incompatible materials. 10.4 Conditions to Avoid: 10.5 Incompatible Substances: Strong acids, water-reactive substances and metals such as aluminum and zinc. 11. TOXICOLOGICAL INFORMATION Routes of Entry: Absorption: YES 11.1 Ingestion: 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity See Section 4.5 11.5 Suspected Carcinogen NA 11.6 Reproductive Toxicity This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. Mutagenicity Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. See Section 4.2 117 Irritancy of Product: Biological Exposure Indices: NE 11.8 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate 13.1 Waste Disposal: disposal method for the ingredients listed in Section 3. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION 49 CFR (GND): NOT REGULATED IATA (AIR) 14.2 **NOT REGULATED** 14.3 IMDG (OCN): NOT REGULATED TDGR (Canadian GND): NOT REGULATED 14 5 ADR/RID (EU): NOT REGULATED



Page 4 of 5 **BC-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018

		, ,			
		15. REGULATORY I	NEODMATION		
45.4	SARA Reporting Requirements:				
15.1 15.2	SARA Reporting Requirements:		pject to the SARA Title III, section 313 reporting requirements.		
		There are no specific Threshold Planning Quantities for the components of this product.			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity:	NA			
15.5	Other Federal Requirements:	NA			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class D2B (Materials Causing Other Toxic Effects).			
15.7	State Regulatory Information:	None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).			
15.8	Other Requirements:	This product does not contain any chemicals known harm. For more information go to www.P65Warr	own to the State of California to cause cancer or other reproductive nings.ca.gov		
		16. OTHER INFO	DRMATION		
16.1	Other Information:	Wash thoroughly after handling. Do not eat, diprotection. IF SWALLOWED: Call a POISON CEI plenty of soap and water. Specific treatment seadvice/attention. Take off contaminated clothing	AUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. rink or smoke when using this product. Wear protective gloves/eye NTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with e section 4 of this SDS. If skin irritation or rash occurs: Get medical and was it before reuse. IF IN EYES: Rinse cautiously with water for sent and easy to do. Continue rinsing. If eye irritation persist: Get		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey, LLC knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Birchwood Casey, LLC 3260 Winpark Drive New Hope, MN 55427 USA Tel: +1 (952) 388-6717 Email: customerservice@birchwoodcasey.com http://www.birchwoodCasey.com	BIRCHWOOD CASEY		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate ShipMate Dangerous Goods Training & Consulting		



Page 5 of 5 **BC-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV Threshold Limit Value	
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Ε			
F		THE PERSON NAMED IN COLUMN TO PERSON NAMED I	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition	Minimum temperature required to initiate combustion in air with no other source	
Temperature	of ignition	
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ X W Y
₩	Use No Water	HEALTH
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	EU European Union (European Union Directive 67/548/EEC)	
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®			Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	®		\Diamond	N. C.		\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment