

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

- Product Name** • Gun Stock Wax
Product Code • 23723; PSW

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Protects firearm stocks from weather and handling by removing imperfections

1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Birchwood Casey, LLC
 7887 Fuller Road, Suite 100
 Eden Prairie, MN 55344
 United States
 www.birchwoodcasey.com
Telephone (General) • 952-388-6717

1.4 Emergency telephone number

- Manufacturer** • 1-800-424-9300 - CHEMTREC

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
 According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

- CLP** • Flammable Liquids 3 - H226
 Aspiration 1 - H304
DSD/DPD • Flammable
 Harmful (Xn)
 R10, R65

2.2 Label Elements

CLP

DANGER



- Hazard statements** • H226 - Flammable liquid and vapour
 H304 - May be fatal if swallowed and enters airways

Precautionary statements

- Prevention**
- P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 - P233 - Keep container tightly closed.
 - P240 - Ground and/or bond container and receiving equipment.
 - P241 - Use explosion-proof electrical/ventilating/lighting/equipment.
 - P242 - Use only non-sparking tools.
 - P243 - Take precautionary measures against static discharge.
 - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- P370+P378 - In case of fire: Use appropriate media for extinction.
 - P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 - P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 - P331 - Do NOT induce vomiting.
- Storage/Disposal**
- P403+P235 - Store in a well-ventilated place. Keep cool.
 - P405 - Store locked up.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD

- Risk phrases**
- R10 - Flammable.
 - R65 - Harmful: may cause lung damage if swallowed.

2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

- DSD/DPD**
- According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Flammable Liquids 3
 - Skin Irritation 2
 - Eye Irritation 2A
 - Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
 - Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
 - Specific Target Organ Toxicity Repeated Exposure 2

2.2 Label elements

OSHA HCS 2012

DANGER

- Hazard statements**
- Flammable liquid and vapour
 - Causes skin irritation
 - Causes serious eye irritation
 - May cause respiratory irritation
 - May cause drowsiness or dizziness
 - May cause damage to organs - Liver/Kidney through prolonged or repeated exposure via Unreported Route

Precautionary statements

- Prevention**
- Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 - Keep container tightly closed.
 - Ground and/or bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe mist/vapours/spray.
 Wash thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.

- Response**
- In case of fire: Use appropriate media for extinction.
 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash before reuse.
 - If skin irritation occurs: Get medical advice/attention.
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
Get medical advice/attention if you feel unwell.

- Storage/Disposal**
- Store in a well-ventilated place. Keep container tightly closed.
Keep cool.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Store locked up.

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Flammable Liquids - B2
Other Toxic Effects - D2B

2.2 Label elements

WHMIS



- Flammable Liquids - B2
Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC)

No 1272/2008.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Stoddard solvent	CAS:8052-41-3 EC Number:232-489-3	85%	Inhalation-Rat LC50 • >1400 ppm 8 Hour(s)	EU DSD/DPD: EU CLP, Annex VI, Table 3.2: Carc.Cat.2, R45; Muta.Cat.2, R46; Xn, R48/20, R65 EU CLP: Annex VI: Carc. 1B, H350; Muta. 1B, H340; Asp. Tox. 1, H304 OSHA HCS 2012: Flam. Liq. 3; Eye Irrit. 2A; Skin Irrit. 2; STOT RE 2 (Liver & Kidney); Asp. Tox. 1; STOT SE 3: Narc.	NDA
Hydrocarbon Wax	NDA	9%	NDA	EU DSD/DPD: Data lacking EU CLP: Data lacking OSHA HCS 2012: Data lacking	NDA
Polydimethyl Siloxane	CAS:63148-62-9 EC Number:	3%	Ingestion/Oral-Rat LD50 • >17 g/kg Skin-Rabbit LD50 • >2 g/kg	EU DSD/DPD: Not Classified - Criteria not met EU CLP: Not Classified - Criteria not met OSHA HCS 2012: Eye Irrit. 2B	NDA
Carnauba Wax	CAS:8015-86-9 EINECS:232-399-4	3%	NDA	EU DSD/DPD: Data lacking EU CLP: Data lacking OSHA HCS 2012: Data lacking	NDA

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- If victim is conscious, give 1 – 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • Foam, dry chemical, carbon dioxide or any Class B extinguishing agent.

Unsuitable Extinguishing Media • Water may be unsuitable as an extinguishing medium, but helpful in keeping adjacent containers cool.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Containers may explode when heated. Vapor explosion hazard indoors, outdoors or in sewers. HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Many liquids are lighter than water. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Runoff to sewer may create fire or explosion hazard. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

- No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist, vapours, spray. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors. All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of liquid spill for later disposal. LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Keep away from heat and ignition sources – No Smoking. All equipment used when handling the product must be grounded. Take precautionary measures against static charges. Do not breathe mist, vapours, spray. Use only with adequate ventilation. Wash thoroughly with soap and water after handling and before eating, drinking, or

using tobacco. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes, and clothing. Empty containers may still have product residue and flammable vapors. Avoid spontaneous combustion of contaminated rags and other easily ignitable accumulations (such as spray booth residues) by immediate immersion in water.

7.2 Conditions for safe storage, including any incompatibilities

- Storage**
- Keep away from sources of ignition – No Smoking. Store in a cool, dry, well-ventilated place. Store in a tightly closed container. Do not store where temperature may exceed 120°F.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	NIOSH	OSHA
Stoddard solvent (8052-41-3)	TWAs	100 ppm TWA	525 mg/m ³ TWA (140°C Flash aliphatic solvent)	100 ppm TWAEV; 525 mg/m ³ TWAEV	350 mg/m ³ TWA	500 ppm TWA; 2900 mg/m ³ TWA
	Ceilings	Not established	Not established	Not established	1800 mg/m ³ Ceiling (15 min)	Not established

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety goggles.

Skin/Body

- Wear appropriate gloves.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

TWAEV = Time-Weighted Average Exposure Value

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

OSHA = Occupational Safety and Health Administration

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Opaque, burnt orange liquid with a naphtha odor.
Color	Burnt orange.	Odor	Naphtha

Odor Threshold	Data lacking		
General Properties			
Boiling Point	> 300 F(> 148.8889 C)	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	< 0.775	Water Solubility	Negligible
Viscosity	Data lacking	Explosive Properties	Not Explosive.
Oxidizing Properties:	Not an oxidizer.		
Volatility			
Vapor Pressure	< 12 mmHg (torr)	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 Ether = 1	Volatiles (Vol.)	> 88 %
Flammability			
Flash Point	108 F(42.2222 C) CC (Closed Cup)	UEL	6 %
LEL	1 %	Autoignition	Data lacking
Flammability (solid, gas)	Flammable Liquid.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid high temperatures (>120°F) and ignition sources.

10.5 Incompatible materials

- Strong oxidizers.

10.6 Hazardous decomposition products

- Thermal decomposition may produce carbon monoxide, carbon dioxide, sulfur oxides.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Stoddard solvent (85%)	8052-41-3	Irritation: Eye-Rabbit • 500 mg 24 Hour(s) • Moderate irritation
Polydimethyl Siloxane (3%)	63148-62-9	Acute Toxicity: Ingestion/Oral-Rat LD50 • >17 g/kg; <i>Kidney, Ureter, and Bladder</i> . Other changes; <i>Nutritional and Gross Metabolic:Changes in Chemistry or Temperature</i> . Other changes; Skin-Rabbit LD50 • >2 g/kg; <i>Behavioral:Food intake (animal)</i> ; <i>Gastrointestinal:Hypermotility, diarrhea</i> ; <i>Skin and Appendages:After systemic exposure:Dermatitis, other</i> ; Irritation: Eye-Rabbit • 100 µL 24 Hour(s) • Moderate irritation; Skin-Rabbit • 500 µL 24 Hour(s) • Mild irritation

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Aspiration 1 OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Eye Irritation 2A

Target Organs

- Central Nervous System (CNS), Liver, Kidney

Route(s) of entry/exposure

- Inhalation, Skin, Eye, Ingestion

Potential Health Effects**Inhalation****Acute (Immediate)**

- May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

Chronic (Delayed)

- No data available.

Skin**Acute (Immediate)**

- Causes skin irritation.

Chronic (Delayed)

- No data available.

Eye**Acute (Immediate)**

- Causes serious eye irritation.

Chronic (Delayed)

- No data available.

Ingestion**Acute (Immediate)**

- Material may be aspirated into lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.

Chronic (Delayed)

- No data available.

Other**Chronic (Delayed)**

- Stoddard solvent causes target organ effects to liver and kidneys in animal studies.

Key to abbreviations

LD = Lethal Dose
 MLD = Mild
 MOD = Moderate

Section 12 - Ecological Information**12.1 Toxicity**

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations**13.1 Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1993	Flammable liquid, n.o.s. (Naphtha, Petroleum)	3	III	NDA
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (Naphtha, Petroleum)	3	III	NDA
IMO/IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (Naphtha, Petroleum)	3	III	NDA
IATA/ICAO	UN1993	Flammable liquid, n.o.s. (Naphtha, Petroleum)	3	III	NDA

14.6 Special precautions for user

- None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

- Not relevant.

Code

Section 15 - Regulatory Information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA Hazard Classifications** • Acute, Chronic, Fire

State Right To Know				
Component	CAS	MA	NJ	PA
Carnauba Wax	8015-86-9	No	No	No
Polydimethyl Siloxane	63148-62-9	No	No	No
Stoddard solvent	8052-41-3	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Carnauba Wax	8015-86-9	Yes	No	Yes	No	Yes
Polydimethyl Siloxane	63148-62-9	Yes	No	No	No	Yes
Stoddard solvent	8052-41-3	Yes	No	Yes	No	Yes

Canada**Labor****Canada - WHMIS - Classifications of Substances**

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	B3, D2B

Canada - WHMIS - Ingredient Disclosure List

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	1 %

Environment**Canada - CEPA - Priority Substances List**

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

Europe**Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Polydimethyl Siloxane	63148-62-9	Not Listed
-------------------------	------------	------------

• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	T R:45-46-65 S:53-45
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations		
• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	P
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	S:53-45

Mexico

Other

Mexico - Hazard Classifications

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

Mexico - Regulated Substances

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Polydimethyl Siloxane	63148-62-9	Not Listed
-------------------------	------------	------------

• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Polydimethyl Siloxane	63148-62-9	Not Listed
• Carnauba Wax	8015-86-9	Not Listed
• Stoddard solvent	8052-41-3	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H340 - May cause genetic defects.
- H350 - May cause cancer.
- R45 - May cause cancer.
- R46 - May cause heritable genetic damage.

Last Revision Date

- 05/March/2015

Preparation Date

- 05/March/2015

Disclaimer/Statement of Liability

- The data here is for hazard communication to our employees, our customers and their employees, and authorized regulatory agencies. For the intended purpose, this SDS (Safety data Sheet) may be duplicated or the data transcribed to an alternative form. NOTE: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Birchwood Casey LLC makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular period. Accordingly, Birchwood Casey LLC will not be responsible for damages of any kind resulting from the use of or reliance upon such information. NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER TO WHICH THE INFORMATION REFERS. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

Key to abbreviations

NDA = No data available